

Code of Practice for Safety of Fishing Vessels Open Vessels less than 7 meters

Equipment need not be MCA approved provided it is for its intended purpose.

| Part No. | Item description | Qty. Req. |
|--|--|-----------|
| | Liferaft - | |
| <p>Any liferaft which can be demonstrated to have been purchased prior to 23 October 2017 and currently on fishing vessels of less than 15m may continue to be used until 23 October 2022, after which, all vessels required to carry liferafts shall comply with the requirements laid down in MSN 1871 (F). For vessels over 7 meter it is mandatory to carry a liferaft. For vessels less than 7 meters it is strongly recommended that they carry a liferaft. All ORC liferafts installed onboard all UK vessels, including liferafts on a hired basis are to be formally phased out - See note 1</p> | | |
| | <i>Sufficient capacity for all persons on board vessel</i> | |
| | <i>Vessels operating 150 miles or more from safe haven</i> | |
| | Ocean SOLAS Throw-over A Pack - 6,8,10,12,16,20 person | 1 + 1 |
| Alternative | Ocean SOLAS Compact - 6,8,10,12,16 person | |
| | <i>Vessels operating 60 miles to less than 150 miles from safe haven</i> | |
| | Ocean SOLAS Throw-over A Pack - 6,8,10,12,16,20 person | 1 |
| Alternative | Ocean SOLAS Compact - 6,8,10,12,16 person | |
| | Ocean ISO >24 hour pack - 4,6,8,10,12 person Canister with SOLAS A Pack, Grab Bag | |
| | <i>Vessels operating less than 60nm from safe haven</i> | |
| | Ocean ISO9650-1 SOLAS B - 4,6,8,10,12 Valise / Canister | 1 |
| Alternative | Ocean Charter ISO 9650-1 SOLAS B Pack - 4,6,8,10,12 Canister | |
| HAM1000 | Hydrostatic Release Unit - 6 - 150 man (<i>4 man HRU Available</i>) | 1 |
| SAF0205 | Liferaft Straps 6-25man round | 1 |
| SAF0195 | Senhouse Slip Hook | 1 |

| Lifejacket - 1 per person | | |
|---------------------------|--|-------------|
| LIF8207 | Challenger Worksafe 170N Auto Orange PVC | 1pp+2 spare |
| | <i>Alternatives available</i> | |
| Lifebuoy | | |
| LBU0055 | Lifebuoy 30" 4kg, inc. retro tape (see note 2) | 2 |
| LBU0069 | 18m Orange Floating Line 8mm (pack) | 1 |
| | <i>Alternative</i> | |
| LBU0055 | Lifebuoy 30" 4kg, inc. retro tape (see note 2) | 1 |
| LBU0069 | 18m Orange Floating Line 8mm (pack) | 1 |
| SUR0135 | Quoit & Line | 1 |

| Part No. | Item description | Qty. Req. |
|---|--|-----------|
| Pyrotechnics | | |
| FLR5000 | Ikaros Red Parachute Flare - MCA | 2 |
| FLR5005 | Ikaros Red Handheld Flare - MCA | 2 |
| FLR5010 | Ikaros Buoyant Smoke - MCA | 1 |
| FLR5820 | OS Yellow Poly Bottle | 1 |
| Fire Fighting / Flood | | |
| SAF0350 | Bucket (Lanyard needs to be added by owner) | 1 |
| | 1 x Multi-purpose Fire Extinguisher (Fire rated 5A/34B) - If vessel has an in-board engine (extinguisher should be capable of dealing with all fire types, including hydrocarbons) | |
| FIR0750 | Fire Extinguisher 2Ltr Foam 5A/34B | 1 |
| FIR0025 | Fire Blanket (MCA) (if vessel has galley or cooking area) | 1 |
| SUR0152 | Bailer | 1 |
| SAF0310 | Duel Sensor Gas Alarm (LPG & Carbon Monoxide) | 1 |
| FIR0360 | Smoke Alarm | 1 |
| | | |
| Medical Kit | | |
| <p>A first aid kit shall be a Category "C" standard for vessels staying up to 60nm from shore (Vessel name MMSI/callsign or FV No.required).</p> <p>Category "B" for vessels operating between 60 & 175 NM from the nearest port (Copy of vessel registration & certificate of skipper or medically trained person onboard required).</p> | | |
| MED0100 | Cat "C" in Resealable Bag | 1 |
| | <i>Alternative</i> | |
| MED0130 | Code of Practice First Aid Kit inc. Box Cat C & First Aid Manual | |
| | Cat "B" Medical Kit - Boxed / Soft pack 10, 20, 30 persons | |
| Comms / Signalling / Navigation | | |
| EPI3260 | Safesea E100G EPIRB Cat 1 (See Note 3) | 1 |
| | <i>For vessels that are single handed may replace with PLB</i> | |
| EPI1020 | 3Si Guardian PLB | |
| | 1 x VHF fixed or handheld | |
| VHF0242 | ICOM IC-M323 VHF/DSC Fixed Radio - Alternatives available | 1 |
| VHF4165 | Vtronix 1.4mtr Antenna (Nylon Ferrule) | 1 |
| VHF0167 | ICOM IC93D Euro Handheld VHF/DSC/GPS | 1 |
| SUR0015 | Waterproof Signalling Torch | 1 |
| SAF0015 | Fog Horn and Canister | 1 |
| COM0065 | Hand Bearing Compass | 1 |
| SAF0050 | Signal Anchor Ball | 1 |
| SAF0055 | Signal Cone | 2 |
| | Echomax EM230 Basemounted Radar Reflector with Light | 1 |
| SIG0300 | NUC light for vessels under 20m, 1mtr bar | 1 |
| Misc Items - | | |
| | Anchor & Cable / Warp | As req |
| | Type/weight of anchor plus length of cable / warp | |
| | | |

| Part No. | Item description | Qty. Req. |
|----------|---|-----------|
| | | |
| | <i>The following items are also recommended:</i> | |
| | <i>Personal Overboard Location Beacon</i> | |
| EPI3100 | Ocean Signal RescueME MOB1 AIS/DSC | 1pp |

Notes:

1) a. ORC liferafts built before 2004 may be used until the end of their serviceable life, the owner / managing agent of the relevant vessel must be able to demonstrate to the attending surveyor the date of manufacture and the full service history for such liferafts.

b. For ORC liferafts built after 2004, they shall be phased out as per table below:

| Category of Operation [^] | Phase out period |
|---|-------------------------------|
| 2 - (up to 60 miles from a safe haven) | 3 years or service intervals* |
| 3 - (up to 20 miles from a safe haven) | 4 years or service intervals* |
| 4 - (up to 20 miles from a safe haven, in favourable weather and in daylight) | 5 years or service intervals* |
| 5 - (to sea, within 20 miles from a nominated departure point name in the certificate in favourable weather and daylight) | 5 years or service intervals* |
| 6 - (to sea, within 3 miles from a nominated departure point(s) named in the certificate and never more than 3 miles from land, in favourable weather and daylight) | 5 years or service intervals* |

*Whichever is sooner. The start of this phase out period being taken from the date this Note is published.

[^] As defined in the Codes of Practice for Vessels in Commercial use for Sport or Pleasure, Workboats and Pilot Boats, and MGN 280.

2) Lifebuoy's / Liferings to be marked with vessels name & one other form of identification.

3) EPIRB's are to be Cat 1 fitted with GPS

Fishing College

Southern Fish Industry Training Academy Ltd (SFITA) NEAT The Cobb,
Lyme Regis, Dorset, DT7 3JJ

www.fishingcollege.co.uk
info@fishingcollege.co.uk

Tel: 01297 642022